

## Product Facts

### Active Ingredients per 1 ounce:

Methylsulfonylmethane (MSM).....	7,500 mg
Glucosamine (marine)*.....	5,000 mg
<b>ComfortX™</b> (MicroLactin®) Dried Milk Protein.....	3,000 mg
Ester-C® (source of ascorbic acid).....	1,575 mg
Chondroitin Sulfate (poultry).....	875 mg
Zinc (from proteinate).....	.65 mg
Manganese (from proteinate).....	.50 mg
Copper (from proteinate).....	.13 mg

\*Glucosamine HCl (marine) 4,000 mg; Time Release Glucosamine HCl (marine) 1,000 mg

### Inactive Ingredients:

Dehydrated alfalfa meal, dried molasses, mineral oil, natural and artificial flavors, TR System™

### Cautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

Consult with your veterinarian before using this product in animals: with clotting disorders; being treated with anticoagulant medications; diabetes, or any metabolic disorder causing hyperglycemia; history of urinary tract stones; known allergies to shellfish.

If lameness worsens, discontinue use and contact your veterinarian.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

Call with questions or comments: 1-800-848-2359

7:00 AM - 3:45 PM MST Monday - Friday



Vita Flex Nutrition  
1302-B Lew Ross Road  
Council Bluffs, IA 51501  
vitaflex.com

Ester-C® is a licensed trademark of Zila Nutraceuticals, Inc. U.S. Patents 4,822,816; 5,070,085; 6,197,815  
Time Release Glucosamine Technology, Patent Pending  
MicroLactin® is a trademark of Stolle Milk Biologics, Inc. (SMBI) U.S. Patents 4,956,349; 5,242,691; 5,352,462; 5,650,175; 5,980,953



# NEW! Equinyl™ Combo

## PAIN FORMULA May help pain caused by daily exercise

Glucosamine  
Plus Time Release  
Glucosamine  
& Chondroitin,  
Zinc, Manganese  
& Copper

Ester-C®  
& MSM

Patented  
**ComfortX™**  
REDUCES INFLAMMATION  
Associated with  
Daily Exercise

May help reduce  
inflammation without  
gastrointestinal side effects

**INTENSE**  
Performance  
Demands

**30 DAY**  
SUPPLY  
1 oz maintenance serving

NET WEIGHT 1.875 lbs (850.5 g)

For all classes of adult horses.

## Product Facts (continued)

### For use in horses only

### Recommended to support and maintain healthy joints

Equinyl™ Combo may help ease pain and inflammation associated with training and competition without causing gastrointestinal side effects.

- Patented **ComfortX™** may reduce swelling and inflammation associated with training and competition, provides joint health support, increases flexibility and shortens recovery time by reducing the emigration of neutrophils to the site of the inflammation.
- There are two types of glucosamine in Equinyl Combo. The first is **regular glucosamine**, which provides an immediate supply of glucosamine HCl while the second form, *Patent Pending Time Release Glucosamine*, releases over 24 hours. This is more than 24X longer than normal glucosamine\*.
- **Glucosamine** helps maintain synovial fluid that lubricates the joints for all day pain associated with daily exercise and activity.

### Directions for Use:

- Enclosed scoop holds 1 ounce.
- Give 2 ounces (2 scoops) daily for first 1 to 2 weeks. Give 1 ounce (1 scoop) daily for maintenance or as directed by veterinarian.
- Store in a cool, dry place. Reseal after each use.

### Warnings:

#### For animal use only.

Keep out of the reach of other animals and children.  
In case of accidental overdose, contact a health professional immediately.  
This product should not be given to animals intended for human consumption.

\*Number of hours to release more than 90% of ingredients as measured by in vitro dissolution studies. Data on file.

©2007 Vita Flex Nutrition Product Code: 3005959 RM#: 2008205 07-0935

# 3005959



**CENTRAL**  
Garden & Pet



With 20%  
**TIME RELEASE**  
**24X LONGER LASTING\***  
**GLUCOSAMINE**

**NEW!**  
**Equinyl™ Combo**

**PAIN FORMULA** May help pain caused by daily exercise

Glucosamine  
Plus Time Release  
Glucosamine  
& Chondroitin,  
Zinc, Manganese  
& Copper

Ester-C®  
& MSM

Patented  
**ComfortX™**  
REDUCES INFLAMMATION  
Associated with  
Daily Exercise



**60 DAY SUPPLY**

1 oz maintenance serving

May help reduce  
inflammation without  
gastrointestinal  
side effects

**INTENSE**  
Performance  
Demands

NET WEIGHT **3.75 lbs (1.70kg)**  
RM#: 2008655 07-0936

*For all classes of adult horses.*

# Equinyl™ Combo Product Facts

## Active Ingredients per 1 ounce:

Methylsulfonylmethane (MSM).....	7,500 mg
Glucosamine (marine)*.....	5,000 mg
<b>Comfort™</b> (MicroLactin®) Dried Milk Protein.....	3,000 mg
Ester-C® (source of ascorbic acid).....	1,575 mg
Chondroitin Sulfate (poultry).....	875 mg
Zinc (from proteinate).....	65 mg
Manganese (from proteinate).....	50 mg
Copper (from proteinate).....	13 mg

\*Glucosamine HCl (marine) 4,000 mg; Time Release Glucosamine HCl (marine) 1,000 mg

## Inactive Ingredients:

Dehydrated alfalfa meal, dried molasses, mineral oil, natural and artificial flavors, TR System™

## Cautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

Consult with your veterinarian before using this product in animals: with clotting disorders; being treated with anticoagulant medications; diabetes, or any metabolic disorder causing hyperglycemia; history of urinary tract stones; known allergies to shellfish.

If lameness worsens, discontinue use and contact your veterinarian.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

## For use in horses only

### Recommended to support and maintain healthy joints

Equinyl™ Combo may help ease pain and inflammation associated with training and competition without causing gastrointestinal side effects.

- *Patented Comfort™* may reduce swelling and inflammation associated with training and competition, provides joint health support, increases flexibility and shortens recovery time by reducing the emigration of neutrophils to the site of the inflammation.
- There are two types of glucosamine in Equinyl Combo. The first is **regular glucosamine**, which provides an immediate supply of glucosamine HCl while the second form, **Patent Pending Time Release Glucosamine**, releases over 24 hours. This is more than 24X longer than normal glucosamine\*.
- **Glucosamine** helps maintain synovial fluid that lubricates the joints for all day pain associated with daily exercise and activity.

## Directions for Use:

- Enclosed scoop holds 1 ounce.
- Give 2 ounces (2 scoops) daily for first 1 to 2 weeks. Give 1 ounce (1 scoop) daily for maintenance or as directed by veterinarian.
- Store in a cool, dry place. Reseal after each use.

## Warnings:

### For animal use only.

Keep out of the reach of other animals and children. In case of accidental overdose, contact a health professional immediately.

This product should not be given to animals intended for human consumption.

Call with questions or comments: 1-800-848-2359

7:00 AM - 3:45 PM MST Monday - Friday



**Vita Flex Nutrition**

1302-B Lew Ross Road, Council Bluffs, IA 51501

vitaflex.com

Ester-C® is a licensed trademark of Zila Nutraceuticals, Inc. U.S. Patents 4,822,816; 5,070,085; 6,197,815

Time Release Glucosamine Technology, Patent Pending

MicroLactin™ is a trademark of Stolle Milk Biologics, Inc. (SMBI) U.S. Patents 4,956,349; 5,242,691; 5,352,462; 5,650,175; 5,980,953

\*Number of hours to release more than 90% of ingredients as measured by in vitro dissolution studies. Data on file.

©2007 Vita Flex Nutrition Product Code: 3005960 RM#: 2008654 07-0936

# 3005960



**CENTRAL**  
Garden & Pet



**NEW!**  
**Equinyl™ Combo**

**PAIN FORMULA** May help pain caused by daily exercise

Glucosamine  
Plus Time Release  
Glucosamine  
& Chondroitin,  
Zinc, Manganese  
& Copper

Ester-C®  
& MSM

Patented  
**ComfortX™**  
REDUCES INFLAMMATION  
Associated with  
Daily Exercise



May help reduce  
inflammation without  
gastrointestinal side effects

**INTENSE**  
Performance  
Demands

**90 DAY  
SUPPLY**  
1 oz maintenance serving

NET WEIGHT **5.625 lbs (2.55kg)**  
RM#: 2008653 07-0937

*For all classes of adult horses.*

# Equinyl™ Combo Product Facts

## Active Ingredients per 1 ounce:

Methylsulfonylmethane (MSM) .....	7,500 mg
Glucosamine (marine)* .....	5,000 mg
<b>ComfortX™</b> (MicroLactin®) Dried Milk Protein .....	3,000 mg
Ester-C® (source of ascorbic acid) .....	1,575 mg
Chondroitin Sulfate (poultry) .....	875 mg
Zinc (from proteinate) .....	65 mg
Manganese (from proteinate) .....	50 mg
Copper (from proteinate) .....	13 mg

\*Glucosamine HCl (marine) 4,000 mg; Time Release Glucosamine HCl (marine) 1,000 mg

## Inactive Ingredients:

Dehydrated alfalfa meal, dried molasses, mineral oil, natural and artificial flavors, TR System™

## Cautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

Consult with your veterinarian before using this product in animals: with clotting disorders; being treated with anticoagulant medications; diabetes, or any metabolic disorder causing hyperglycemia; history of urinary tract stones; known allergies to shellfish.

If lameness worsens, discontinue use and contact your veterinarian.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

## For use in horses only

### Recommended to support and maintain healthy joints

Equinyl™ Combo may help ease pain and inflammation associated with training and competition without causing gastrointestinal side effects.

- *Patented* **ComfortX™** may reduce swelling and inflammation associated with training and competition, provides joint health support, increases flexibility and shortens recovery time by reducing the emigration of neutrophils to the site of the inflammation.
- There are two types of glucosamine in Equinyl Combo. The first is **regular glucosamine**, which provides an immediate supply of glucosamine HCl while the second form, *Patent Pending* **Time Release Glucosamine**, releases over 24 hours. This is more than 24X longer than normal glucosamine\*.
- **Glucosamine** helps maintain synovial fluid that lubricates the joints for all day pain associated with daily exercise and activity.

## Directions for Use:

- Enclosed scoop holds 1 ounce.
- Give 2 ounces (2 scoops) daily for first 1 to 2 weeks. Give 1 ounce (1 scoop) daily for maintenance or as directed by veterinarian.
- Store in a cool, dry place. Reseal after each use.

## Warnings:

### For animal use only.

Keep out of the reach of other animals and children. In case of accidental overdose, contact a health professional immediately. This product should not be given to animals intended for human consumption.

Call with questions or comments: 1-800-848-2359 7:00 AM - 3:45 PM MST Monday - Friday



Ester-C® is a licensed trademark of Zila Nutraceuticals, Inc. U.S. Patents 4,822,816; 5,070,085; 6,197,815  
Time Release Glucosamine Technology, Patent Pending  
MicroLactin® is a trademark of Stolle Milk Biologics, Inc. (SMBI) U.S. Patents 4,956,349; 5,242,691; 5,352,462; 5,650,175; 5,980,953

\*Number of hours to release more than 90% of ingredients as measured by in vitro dissolution studies. Data on file.

# 3005961



**CENTRAL**  
Garden & Pet



With 20%  
**TIME RELEASE**  
**24X LONGER LASTING\***  
**GLUCOSAMINE**

**NEW!**  
**Equinyl™ Combo**

**PAIN FORMULA** May help pain caused by daily exercise

Glucosamine  
Plus Time Release  
Glucosamine  
& Chondroitin,  
Zinc, Manganese  
& Copper

Ester-C®  
& MSM

Patented  
**Comfort X™**  
REDUCES INFLAMMATION  
Associated with  
Daily Exercise



**180 DAY SUPPLY**  
1 oz maintenance serving

May help reduce  
inflammation without  
gastrointestinal side effects

**INTENSE**  
Performance  
Demands

NET WEIGHT **11.25 lbs (5.10kg)**

RM#: 2008204 07-0938

For all classes of adult horses.

## Equinyl™ Combo Product Facts

### Active Ingredients per 1 ounce:

Methylsulfonylmethane (MSM) .....	7,500 mg
Glucosamine (marine)* .....	5,000 mg
<b>ComfortX™</b> (MicroLactin®) Dried Milk Protein .....	3,000 mg
Ester-C® (source of ascorbic acid) .....	1,575 mg
Chondroitin Sulfate (poultry) .....	.875 mg
Zinc (from proteinate) .....	.65 mg
Manganese (from proteinate) .....	.50 mg
Copper (from proteinate) .....	.13 mg

\*Glucosamine HCl (marine) 4,000 mg; Time Release Glucosamine HCl (marine) 1,000 mg

### Inactive Ingredients:

Dehydrated alfalfa meal, dried molasses, mineral oil, natural and artificial flavors, TR System™

### Cautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

Consult with your veterinarian before using this product in animals: with clotting disorders; being treated with anticoagulant medications; diabetes, or any metabolic disorder causing hyperglycemia; history of urinary tract stones; known allergies to shellfish.

If lameness worsens, discontinue use and contact your veterinarian.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

### For use in horses only

#### Recommended to support and maintain healthy joints

Equinyl™ Combo may help ease pain and inflammation associated with training and competition without causing gastrointestinal side effects.

- *Patented ComfortX™* may reduce swelling and inflammation associated with training and competition, provides joint health support, increases flexibility and shortens recovery time by reducing the emigration of neutrophils to the site of the inflammation.
- There are two types of glucosamine in Equinyl Combo. The first is **regular glucosamine**, which provides an immediate supply of glucosamine HCl while the second form, **Patent Pending Time Release Glucosamine**, releases over 24 hours. This is more than 24X longer than normal glucosamine\*.
- **Glucosamine** helps maintain synovial fluid that lubricates the joints for all day pain associated with daily exercise and activity.

### Directions for Use:

- Enclosed scoop holds 1 ounce.
- Give 2 ounces (2 scoops) daily for first 1 to 2 weeks. Give 1 ounce (1 scoop) daily for maintenance or as directed by veterinarian.
- Store in a cool, dry place. Reseal after each use.

### Warnings:

#### For animal use only.

Keep out of the reach of other animals and children. In case of accidental overdose, contact a health professional immediately. This product should not be given to animals intended for human consumption.

Call with questions or comments: 1-800-848-2359

7:00 AM - 3:45 PM MST Monday - Friday



**Vita Flex Nutrition**  
1302-B Lew Ross Road  
Council Bluffs, IA 51501  
vitaflex.com

Ester-C® is a licensed trademark of Zila Nutraceuticals, Inc. U.S. Patents 4,822,816; 5,070,085; 6,197,815  
Time Release Glucosamine Technology, Patent Pending  
MicroLactin® is a trademark of Stolle Milk Biologics, Inc. (SMBI) U.S. Patents 4,956,349; 5,242,691; 5,352,462; 5,650,175; 5,980,953

# 3005962





With 20%  
**TIME RELEASE**  
**24X LONGER LASTING\***  
**GLUCOSAMINE**

**NEW!**  
**Equinyl™ Combo**

**PAIN FORMULA** May help pain caused by daily exercise

Glucosamine  
Plus Time Release  
Glucosamine  
& Chondroitin,  
Zinc, Manganese  
& Copper

Ester-C®  
& MSM

Patented  
**ComfortX™**  
REDUCES INFLAMMATION  
Associated with  
Daily Exercise



**360 DAY SUPPLY**  
1 oz maintenance serving

May help reduce  
inflammation without  
gastrointestinal side effects

**INTENSE**  
Performance  
Demands

NET WEIGHT **22.5 lbs (10.21g)**

RM#: 2008202 07-0939

For all classes of adult horses.

## Equinyl™ Combo Product Facts

### Active Ingredients per 1 ounce:

Methylsulfonylmethane (MSM) .....	7,500 mg
Glucosamine (marine)* .....	5,000 mg
<b>ComfortX™</b> (MicroLactin®) Dried Milk Protein .....	3,000 mg
Ester-C® (source of ascorbic acid) .....	1,575 mg
Chondroitin Sulfate (poultry) .....	.875 mg
Zinc (from proteinate) .....	.65 mg
Manganese (from proteinate) .....	.50 mg
Copper (from proteinate) .....	.13 mg

\*Glucosamine HCl (marine) 4,000 mg; Time Release Glucosamine HCl (marine) 1,000 mg

### Inactive Ingredients:

Dehydrated alfalfa meal, dried molasses, mineral oil, natural and artificial flavors, TR System™

### Cautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

Consult with your veterinarian before using this product in animals: with clotting disorders; being treated with anticoagulant medications; diabetes, or any metabolic disorder causing hyperglycemia; history of urinary tract stones; known allergies to shellfish.

If lameness worsens, discontinue use and contact your veterinarian.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

### For use in horses only

#### Recommended to support and maintain healthy joints

Equinyl™ Combo may help ease pain and inflammation associated with training and competition without causing gastrointestinal side effects.

- *Patented ComfortX™* may reduce swelling and inflammation associated with training and competition, provides joint health support, increases flexibility and shortens recovery time by reducing the emigration of neutrophils to the site of the inflammation.
- There are two types of glucosamine in Equinyl Combo. The first is **regular glucosamine**, which provides an immediate supply of glucosamine HCl while the second form, **Patent Pending Time Release Glucosamine**, releases over 24 hours. This is more than 24X longer than normal glucosamine\*.
- **Glucosamine** helps maintain synovial fluid that lubricates the joints for all day pain associated with daily exercise and activity.

### Directions for Use:

- Enclosed scoop holds 1 ounce.
- Give 2 ounces (2 scoops) daily for first 1 to 2 weeks. Give 1 ounce (1 scoop) daily for maintenance or as directed by veterinarian.
- Store in a cool, dry place. Reseal after each use.

### Warnings:

#### For animal use only.

Keep out of the reach of other animals and children. In case of accidental overdose, contact a health professional immediately. This product should not be given to animals intended for human consumption.

Call with questions or comments: 1-800-848-2359


7:00 AM - 3:45 PM MST Monday - Friday



**Vita Flex Nutrition**  
1302-B Lew Ross Road  
Council Bluffs, IA 51501  
vitaflex.com

Ester-C® is a licensed trademark of Zila Nutraceuticals, Inc. U.S. Patents 4,822,816; 5,070,085; 6,197,815  
Time Release Glucosamine Technology, Patent Pending  
MicroLactin® is a trademark of Stolle Milk Biologics, Inc. (SMBI) U.S. Patents 4,956,349; 5,242,691; 5,352,462; 5,650,175; 5,980,953

# 3005963



7 58900 05963 4