

# FluidFlex™

“The Joint Solution™”

with Glucosamine HCl  
and Chondroitin Sulfate



**Dramatic Results  
Guaranteed!**



# MaxFlex™



A LIQUID JOINT SUPPLEMENT FOR HORSES

NET CONTENTS 1 QT (32 OZ) (946 ml)

2007396  
06-0408

# FluidFlex

## LIQUID GLUCOSAMINE AND CHONDROITIN SUPPLEMENT FOR HORSES

### Product Facts

#### Active Ingredients per ounce:

Glucosamine HCl (shellfish)	2500 mg
Bromelain	250 mg
Yucca Schidigera	250 mg
Chondroitin Sulfate (shark cartilage)	100 mg
Collagen derived peptides	85 mg
Zinc	40 mg
Manganese	30 mg
Citrus bioflavonoids	10 mg
Copper	10 mg
Grape Seed Extract	10 mg

#### Inactive ingredients:

Artificial color, artificial flavor, distilled water, potassium sorbate, propionic acid, sorbitol, sugar, and xanthan gum.

#### Precautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

Consult with your veterinarian before using this product in animals with clotting disorders; being treated with anticoagulant medications; diabetes, or any metabolic disorder causing hyperglycemia; history of urinary tract stones; known allergies to shellfish.

If lameness worsens, discontinue use and contact your veterinarian.

#### For use in horses only.

#### Recommended to support healthy joint and hip function.

#### Directions for Use:

- Shake well before using.
- To fill the reservoir on the bottle, loosen the cap slightly and squeeze the bottle. Volumes are marked on the reservoir.
- Give during or after animal has eaten or orally with a dose syringe.
- For maintenance - give 1 oz per day.
- For the first 5 consecutive days, give 2 oz per day (loading dose). (Based on an 1100 lb adult horse - give more for larger horses and less for smaller horses.)

#### Warnings:

For animal use only.

Keep out of the reach of other animals and children. In case of accidental overdose, contact a health professional immediately.

This product should not be given to animals intended for human consumption.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.


#### Questions?

Call with questions or comments:

1-800-234-2269 7 AM - 3:45 PM MST M-F

Farnam Companies, Inc., P.O. Box 34820, Phoenix, AZ 85067-4820


[farnamhorse.com](http://farnamhorse.com)



# Fluid Flex™

*“The Joint Solution™”*

*with Glucosamine HCl  
and Chondroitin Sulfate*



**Dramatic Results  
Guaranteed!**



# MaxFlex™



**A LIQUID JOINT SUPPLEMENT FOR HORSES**

NET CONTENTS 1/2 GALLON (64 OZ) (1.89 l)

2006151  
04-1271

# FluidFlex™

## LIQUID GLUCOSAMINE AND CHONDROITIN SUPPLEMENT FOR HORSES

### Product Facts

#### Active Ingredients per ounce:

Glucosamine HCl (shellfish)	2500 mg
Bromelain	250 mg
Yucca Schidigera	250 mg
Chondroitin Sulfate (shark cartilage)	100 mg
Collagen derived peptides	85 mg
Zinc	40 mg
Manganese	30 mg
Citrus bioflavonoids	10 mg
Copper	10 mg
Grape Seed Extract	10 mg

#### Inactive ingredients:

Artificial color, artificial flavor, distilled water, potassium sorbate, propionic acid, sorbitol, sugar, and xanthan gum.

#### Precautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

Consult with your veterinarian before using this product in animals with clotting disorders; being treated with anticoagulant medications; diabetes, or any metabolic disorder causing hyperglycemia; history of urinary tract stones; known allergies to shellfish.

If lameness worsens, discontinue use and contact your veterinarian.

#### For use in horses only.

#### Recommended to support healthy joint and hip function.

#### Directions for Use:

- Shake well before using.
- To fill the reservoir on the bottle, loosen the cap slightly and squeeze the bottle. Volumes are marked on the reservoir.
- Give during or after animal has eaten or orally with a dose syringe.
- For maintenance - give 1 oz per day.
- For the first 5 consecutive days, give 2 oz per day (loading dose). (Based on an 1100 lb adult horse - give more for larger horses and less for smaller horses.)

#### Warnings:

For animal use only.

Keep out of the reach of other animals and children. In case of accidental overdose, contact a health professional immediately.

This product should not be given to animals intended for human consumption.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.


#### Questions?

Call with questions or comments: 1-800-234-2269 7 AM - 3:45 PM MST M-F

#### EquiCare Products

A Division of Farnam Companies, Inc., P.O. Box 34820, Phoenix, AZ 85067-4820

©2001, 2004, 2005 Farnam Companies, Inc. Product Code: 12950 RM #: 2006152 05-1278  
Lot No. located on container top or bottom.



# FluidFlex™

“The Joint Solution™”

with *Glucosamine HCl*  
and *Chondroitin Sulfate*



**Dramatic Results  
Guaranteed!**



# MaxFlex™

A LIQUID JOINT SUPPLEMENT FOR HORSES

NET CONTENTS 1 GALLON (128 OZ) (3.79 l)



2007398  
06-0409

# FluidFlex™

## LIQUID GLUCOSAMINE AND CHONDROITIN SUPPLEMENT FOR HORSES

### Product Facts

#### Active Ingredients per ounce:

Glucosamine HCl (shellfish)	250 mg
Bromelain	250 mg
Yucca Schidigera	250 mg
Chondroitin Sulfate (shark cartilage)	100 mg
Collagen derived peptides	85 mg
Zinc	40 mg
Manganese	30 mg
Citrus bioflavonoids	10 mg
Copper	10 mg
Grape Seed Extract	10 mg

#### Inactive ingredients:

Artificial color, artificial flavor, distilled water, potassium sorbate, propionic acid, sorbitol, sugar, and xanthan gum.

#### Precautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

Consult with your veterinarian before using this product in animals with clotting disorders; being treated with anticoagulant medications; diabetes, or any metabolic disorder causing hyperglycemia; history of urinary tract stones; known allergies to shellfish.

If lameness worsens, discontinue use and contact your veterinarian.

#### For use in horses only.

**Recommended to support healthy joint and hip function.**

#### Directions for Use:

- Shake well before using.

- To fill the reservoir on the bottle, loosen the cap slightly and squeeze the bottle. Volumes are marked on the reservoir.
- Give during or after animal has eaten or orally with a dose syringe.
- For maintenance - give 1 oz per day.
- For the first 5 consecutive days, give 2 oz per day (loading dose). (Based on an 1100 lb adult horse - give more for larger horses and less for smaller horses.)

#### Warnings:

For animal use only.

Keep out of the reach of other animals and children. In case of accidental overdose, contact a health professional immediately.

This product should not be given to animals intended for human consumption.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

#### Questions?

Call with questions or comments:

1-800-234-2269

7 AM - 3:45 PM MST M-F

**Farnam Companies, Inc.**  
P.O. Box 34820  
Phoenix, AZ 85067-4820  
[farnamhorse.com](http://farnamhorse.com)

