



# GROW COLT<sup>®</sup>

## GROWTH AND DEVELOPMENT SUPPLEMENT



Grow Colt aids in growth and development under appropriate conditions of use. Grow Colt provides 27 important vitamin and mineral nutrients. Prepared specifically for colts in their first year of development.

**NET WT: 3 lbs (1.36 kg)**



RM#: 2006111 04-1250

**For use in horses only.**  
**Recommended to support healthy growth and development.**

### GUARANTEED ANALYSIS

<i>Each Pound Contains Not Less Than</i>	<i>Each Pound Contains Not Less Than</i>
Crude Protein, min. . . . . 5.00%	Selenium, min. . . . . 0.4 ppm
Crude Fat, min. . . . . 4.50%	Vitamin A, min. . . . . 480,000 I.U.
Crude Fiber, max. . . . . 4.00%	Vitamin D <sub>3</sub> . . . . . 100,000 I.U.
Calcium, min. . . . . 7.05%	Vitamin E. . . . . 320 I.U.
Calcium, max. . . . . 8.05%	Vitamin B12 . . . . . 3.2 mg
Phosphorus, min. . . . . 5.28%	Menadione . . . . . 50 mg
Salt, min. . . . . 1.65%	Riboflavin . . . . . 400 mg
Salt, max. . . . . 2.15%	d-Pantothenic Acid . . . . . 360 mg
Magnesium, min. . . . . 0.40%	Thiamine . . . . . 108 mg
Potassium, min. . . . . 1.25%	Niacin . . . . . 2400 mg
Manganese . . . . . 1100 ppm	Vitamin B <sub>6</sub> . . . . . 50 mg
Iron . . . . . 1800 ppm	Folic Acid . . . . . 10 mg
Copper, min. . . . . 22 ppm	Choline . . . . . 3600 mg
Zinc, min. . . . . 11 ppm	Biotin . . . . . .001 mg
Iodine . . . . . 160 ppm	P-Amino Benzoic Acid . . . . . 90 mg
Cobalt . . . . . 11 ppm	Ascorbic Acid . . . . . 10 mg

### INGREDIENTS

Grain products, monocalcium phosphate, wheat middlings, calcium carbonate, dehydrated alfalfa meal, vegetable oil, magnesium sulfate, potassium chloride, choline chloride, cane molasses, sodium chloride, ferrous sulfate, manganese sulfate, propionic acid (as preservative), sodium selenite, para-aminobenzoic acid, niacin supplement, vitamin B12 supplement, vitamin A supplement, riboflavin supplement, calcium pantothenate, ethylenediamine dihydriodide, thiamin mononitrate, pyridoxine hydrochloride, copper sulfate, zinc sulfate, folic acid, cobalt carbonate, ascorbic acid, biotin.

### FEEDING INSTRUCTIONS

Enclosed scoop holds one ounce.

To aid in maximum growth and development, add 2 ounces of Grow Colt to daily ration for each foal. Continue feeding daily throughout the foal's first year of development. Provides 27 important vitamin and mineral nutrients.

### FEEDING BEFORE WEANING

To avoid setbacks resulting from weaning and to speed early development, the foal should be given some supplementary feed while still nursing the mare. Usually the foal can start eating small amounts of feed when he is two to three weeks old. Creep feeding - in which the newborn foal can feed on grain and hay separately from the mare - is highly recommended.

### FEEDING AFTER WEANING

Foals are usually weaned at four to six months of age. At weaning, separate the foal from the mare and feed him 1 to 1 1/2 lbs of hay per 100 lbs of body weight. Also feed 2 ounces of Grow Colt daily. The weaning period is the most critical time for feeding the growth supplement. Similarly the grain ration is quite critical. Three suggested grain rations for the weanling foal are outlined below:

### Recommended Grain Formulas for WEANLING FOALS TO ONE YEAR

(Ingredients for 41-pound batch)

<b>Ration No. 1</b>	<b>Ration No. 2</b>	<b>Ration No. 3</b>
Oats . . . . . 12 lbs	Oats . . . . . 27 lbs	Oats . . . . . 31 lbs
Barley . . . . . 12 lbs	Wheat Bran . . . . 6 lbs	Linseed Meal . . . 8 lbs
Wheat Bran . . . 11 lbs	Linseed Meal . . . 6 lbs	Grow Colt . . . . . 2 lbs
Linseed Meal . . . 4 lbs	Grow Colt . . . . . 2 lbs	41 lbs
Grow Colt . . . . . 2 lbs	41 lbs	

### Feed 3/4 to 1 lb of grain daily with fresh legume hay

You can also add brown sugar to each of these rations to encourage the foal to start eating grain as early as possible. Your choice of rations will, of course, depend on the cost and availability of various grains.

### Farnam Horse Products

A Division of Farnam Companies, Inc.  
 P.O. Box 34820 • Phoenix, AZ 85067-4820  
 farnam.com

Call with comments or questions: 602-285-1660  
 7 AM - 3:45 PM MST M-F

Product Code: 31004 RM# 2006112  
 ©2002, 2005 Farnam Companies, Inc. 05-1314





# GROW COLT<sup>®</sup>

## GROWTH AND DEVELOPMENT SUPPLEMENT



Grow Colt aids in growth and development under appropriate conditions of use. Grow Colt provides 27 important vitamin and mineral nutrients. Prepared specifically for colts in their first year of development.

**NET WT: 7 lbs (3.18 kg)**



For use in horses only.

Recommended to support healthy growth and development.

### GUARANTEED ANALYSIS

<i>Each Pound Contains Not Less Than</i>	<i>Each Pound Contains Not Less Than</i>		
Crude Protein, min. ....	5.00%	Selenium, min. ....	0.4 ppm
Crude Fat, min. ....	4.50%	Vitamin A, min. ....	480,000 I.U.
Crude Fiber, max. ....	4.00%	Vitamin D <sub>3</sub> ....	100,000 I.U.
Calcium, min. ....	7.05%	Vitamin E. ....	320 I.U.
Calcium, max. ....	8.05%	Vitamin B12 ....	3.2 mg
Phosphorus, min. ....	5.28%	Menadione ....	50 mg
Salt, min. ....	1.65%	Riboflavin ....	400 mg
Salt, max. ....	2.15%	d-Pantothenic Acid ....	360 mg
Magnesium, min. ....	0.40%	Thiamine ....	108 mg
Potassium, min. ....	1.25%	Niacin ....	2400 mg
Manganese ....	1100 ppm	Vitamin B <sub>6</sub> ....	50 mg
Iron ....	1800 ppm	Folic Acid ....	10 mg
Copper, min. ....	22 ppm	Choline ....	3600 mg
Zinc, min. ....	11 ppm	Biotin ....	.001 mg
Iodine ....	160 ppm	P-Amino Benzoic Acid ....	90 mg
Cobalt ....	11 ppm	Ascorbic Acid ....	10 mg

### INGREDIENTS

Grain products, monocalcium phosphate, wheat middlings, calcium carbonate, dehydrated alfalfa meal, vegetable oil, magnesium sulfate, potassium chloride, choline chloride, cane molasses, sodium chloride, ferrous sulfate, manganese sulfate, propionic acid (as preservative), sodium selenite, para-aminobenzoic acid, niacin supplement, vitamin B12 supplement, vitamin A supplement, riboflavin supplement, calcium pantothenate, ethylenediamine dihydriodide, thiamin mononitrate, pyridoxine hydrochloride, copper sulfate, zinc sulfate, folic acid, cobalt carbonate, ascorbic acid, biotin.

### GENERAL

Enclosed scoop holds one ounce.

To aid in maximum growth and development, add 2 ounces of Grow Colt to daily ration for each foal. Continue feeding daily throughout the foal's first year of development. Provides 27 important vitamin and mineral nutrients.

### FEEDING BEFORE WEANING

To avoid setbacks resulting from weaning and to speed early development, the foal should be given some supplementary feed while still nursing the mare. Usually the foal can start eating small amounts of feed when he is two to three weeks old. Creep feeding - in which the newborn foal can feed on grain and hay separately from the mare - is highly recommended.

### FEEDING AFTER WEANING

Foals are usually weaned at four to six months of age. At weaning, separate the foal from the mare and feed him 1 to 1 1/2 lbs of hay per 100 lbs of body weight. Also feed 2 ounces of Grow Colt daily. The weaning period is the most critical time for feeding the growth supplement. Similarly the grain ration is quite critical. Three suggested grain rations for the weanling foal are outlined below:

### Recommended Grain Formulas for WEANLING FOALS TO ONE YEAR (Ingredients for 41-pound batch)

<u>Ration No. 1</u>	<u>Ration No. 2</u>	<u>Ration No. 3</u>
Oats ..... 12 lbs	Oats ..... 27 lbs	Oats ..... 31 lbs
Barley ..... 12 lbs	Wheat Bran .... 6 lbs	Linseed Meal ... 8 lbs
Wheat Bran ... 11 lbs	Linseed Meal ... 6 lbs	Grow Colt ..... 2 lbs
Linseed Meal ... 4 lbs	Grow Colt ..... 2 lbs	41 lbs
Grow Colt ..... 2 lbs	41 lbs	

### Feed 3/4 to 1 lb of grain daily with fresh legume hay

You can also add brown sugar to each of these rations to encourage the foal to start eating grain as early as possible. Your choice of rations will, of course, depend on the cost and availability of various grains.

### Farnam Horse Products

A Division of Farnam Companies, Inc.  
P.O. Box 34820  
Phoenix, AZ 85067-4820  
farnam.com

Call with comments or questions: 602-285-1660  
7 AM - 3:45 PM MST M-F

Product Code: 31011 RM# 2006105  
©2002, 2005 Farnam Companies, Inc. 05-1315



For use in horses only.  
Recommended to support healthy growth and development.

**GUARANTEED ANALYSIS**

Crude Protein, min. ....	5.00%
Crude Fat, min. ....	4.50%
Crude Fiber, max. ....	4.00%
Calcium, min. ....	7.05%
Calcium, max. ....	8.05%
Phosphorus, min. ....	5.28%
Salt, min. ....	1.65%
Salt, max. ....	2.15%
Magnesium, min. ....	0.40%
Potassium, min. ....	1.25%
Manganese ....	1100 ppm
Iron ....	1800 ppm
Copper, min. ....	22 ppm
Zinc, min. ....	11 ppm
Iodine ....	160 ppm
Cobalt ....	11 ppm
Selenium, min. ....	0.4 ppm
Vitamin A, min. ....	480,000 I.U./lb
Vitamin D <sub>3</sub> ....	100,000 I.U./lb
Vitamin E. ....	320 I.U./lb
Vitamin B <sub>12</sub> ....	3.2 mg/lb
Menadione ....	50 mg/lb
Riboflavin ....	400 mg/lb
d-Pantothenic Acid ....	360 mg/lb
Thiamine ....	108 mg/lb
Niacin ....	2400 mg/lb
Vitamin B <sub>6</sub> ....	50 mg/lb
Folic Acid ....	10 mg/lb
Choline ....	3600 mg/lb
Biotin ....	.001 mg/lb
P-Amino Benzoic Acid ....	90 mg/lb
Ascorbic Acid ....	10 mg/lb



# GROW COLT<sup>®</sup>

## GROWTH AND DEVELOPMENT SUPPLEMENT



**Grow Colt aids in growth and development under appropriate conditions of use. Grow Colt provides 27 important vitamin and mineral nutrients. Prepared specifically for colts in their first year of development.**

**NET WEIGHT: 20 lbs ( 9.07 kg )**

**INGREDIENTS**

Grain products, monocalcium phosphate, wheat middlings, calcium carbonate, dehydrated alfalfa meal, vegetable oil, magnesium sulfate, potassium chloride, choline chloride, cane molasses, salt, ferrous sulfate, manganese sulfate, propionic acid (a preservative), sodium selenite, para-aminobenzoic acid, niacin supplement, vitamin B<sub>12</sub> supplement, vitamin A supplement, riboflavin supplement, calcium pantothenate, ethylenediamine dihydriodide, thiamin mononitrate, pyridoxine hydrochloride, copper sulfate, zinc sulfate, folic acid, cobalt carbonate, ascorbic acid, biotin.

**FEEDING INSTRUCTIONS  
ENCLOSED SCOOP HOLDS ONE OUNCE**

To aid in maximum growth and development, add 2 ounces of Grow Colt to daily ration for each foal. Continue feeding daily throughout the foal's first year of development. Provides 27 important vitamin and mineral nutrients.

**FEEDING BEFORE WEANING**

To avoid set-backs resulting from weaning and to speed early development, the foal should be given some supplementary feed while still nursing the mare. Usually the foal can start eating small amounts of feed when he is two to three weeks old. Creep feeding - in which the newborn foal can feed on grain and hay separately from the mare - is highly recommended.

**FEEDING AFTER WEANING**

Foals are usually weaned at four to six months of age. At weaning, separate the foal from the mare and feed him 1 to 1 1/2 lbs. of hay per 100 lbs. of body weight. Also feed 2 ounces of Grow Colt daily. The weaning period is the most critical time for feeding the growth supplement. Similarly, the grain ration is quite critical. Three suggested grain rations for the weanling foal are outlined below:

**Recommended Grain Formulas for WEANLING FOALS TO ONE YEAR  
(Ingredients for 41-pound batch)**

<u>Ration No. 1</u>	<u>Ration No. 2</u>	<u>Ration No. 3</u>
Oats .....12 lbs	Oats .....27 lbs	Oats .....31 lbs
Barley .....12 lbs	Wheat Bran ... .6 lbs	Linseed Meal ... .8 lbs
Wheat Bran .....11 lbs	Linseed Meal ... .6 lbs	Grow Colt ... .2 lbs
Linseed Meal .... .4 lbs	Grow Colt ... .2 lbs	41 lbs
Grow Colt .....2 lbs	41 lbs	

**Feed 3/4 to 1 lb of grain daily with fresh legume hay**

You can also add brown sugar to each of these rations to encourage the foal to start eating grain as early as possible. Your choice of rations will, of course, depend on the cost and availability of various grains.



**FARNAM HORSE PRODUCTS**  
A Division Of Farnam Companies, Inc.  
P.O. Box 34820  
Phoenix, AZ 85067-4820  
[farnamhorse.com](http://farnamhorse.com)

For questions and a list of dealers near you, call  
1-800-234-2269 in the U.S.A. or 602-285-1660

Product Code: 31026 RM# 2007780  
©2002, 2005, 2006 Farnam Companies, Inc. 06-0836

