



REPEL-X[®]_P

EMULSIFIABLE FLY SPRAY

CONCENTRATE - 8 OZ. MAKES 1/2 GAL.

REPELS & KILLS DEER TICKS THAT MAY TRANSMIT LYME DISEASE

Dilute with water per label directions for economical protection from biting, bloodsucking flies, gnats and mosquitoes.

ACTIVE INGREDIENTS:

Pyrethrins 0.40%
*Piperonyl Butoxide, Technical 1.00%

OTHER INGREDIENTS 98.60%
100.00%

CONTAINS PETROLEUM DISTILLATE

*Equivalent to 0.8% (butylcarbityl)(6-propylpiperonyl) ether and 0.20% of related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional precautionary statements

NET CONTENTS 1 PT (.473 l)

Product Code: 10320 RM #: 2007997 06-1381

REPEL-Xp Emulsifiable Fly Spray provides economical fly protection for horses and ponies. Repels and kills horn, house, stable, horse, and deer flies (tabanids), plus gnats, mosquitoes and ticks – including deer ticks which may transmit Lyme Disease.

PRECAUTIONARY STATEMENT:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: For animal use only. Not for use on humans. Harmful if swallowed. Avoid contamination of food and feeds. Do not use on horses intended for human consumption.

FIRST AID: IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IN CASE OF MEDICAL EMERGENCIES** or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, call 602-285-1660. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **NOTE TO PHYSICIAN:** Contains petroleum distillate - vomiting may cause aspiration pneumonia

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE ONLY ON HORSES AND PONIES – SHAKE WELL BEFORE USING

Mix REPEL-Xp Emulsifiable Fly Spray with water at proper dilution. First, put the required amount into sprayer or mixing container. Then, add water according to directions and mix thoroughly before using. **IMPORTANT:** Mix fresh solution before each use. Apply with pressure sprayer or sponge it on horses. Make sure animal's coat is thoroughly wet. Use approximately 8 oz. for each animal depending on size of horse or pony. Avoid getting solution into the animal's eyes. **HORSES:** To protect horses from horn flies, house flies, gnats and mosquitoes apply at a 1 to 7 dilution. Each pint of concentrate makes a gallon of finished spray. Repeat application every 3 to 4 days, or as needed. Where horse flies, deer flies (tabanids), stable flies, ticks or Deer Ticks, that may transmit Lyme Disease, are a problem, apply a 1 to 4 dilution and repeat as needed.

STORAGE & DISPOSAL: STORAGE: Store in a cool, dry place inaccessible to children and pets. **DISPOSAL: IF EMPTY:** Do not reuse this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. Never place any unused portion down any indoor or outdoor drain.

FARNAM HORSE PRODUCTS

A Division of Farnam Companies, Inc.
P.O. Box 34820 • Phoenix, Arizona 85067-4820
www.farnam.com

In case of emergency or for product use information,
call 602-285-1660, 7 AM - 3:45 PM MST M-F

Product Code: 010320

©2001, 2004, 2006 Farnam Companies, Inc.

Printed in USA RM #: 2007998 06-1381



EPA Reg. #270-150 Ⓐ EPA Est. No. 11715-TN-1 Ⓑ EPA Est. No. 2724-TX-1

Circled letter before EPA Est. location corresponds to the first letter of the lot number on bottom of container



REPEL-X[®]_P

EMULSIFIABLE FLY SPRAY

SAME PROVEN FORMULA

CONCENTRATE - 8 OZ. MAKES 1/2 GAL.

REPELS & KILLS DEER TICKS THAT MAY TRANSMIT LYME DISEASE

Dilute with water per label directions for economical protection from biting, bloodsucking flies, gnats and mosquitoes.

ACTIVE INGREDIENTS:

Pyrethrins	0.40%
*Piperonyl Butoxide, Technical	1.00%
OTHER INGREDIENTS98.60%
	100.00%

CONTAINS PETROLEUM DISTILLATE

*Equivalent to 0.8% (butylcarbityl)(6-propylpiperonyl) ether and 0.20% of related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional precautionary statements

NET CONTENTS 1 QT (.946 l)

RM #: 2007999 06-1380

REPEL-Xp Emulsifiable Fly Spray provides economical fly protection for horses and ponies. Repels and kills horn, house, stable, horse, and deer flies (tabanids), plus gnats, mosquitoes and ticks – including deer ticks which may transmit Lyme Disease.



**PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

For animal use only. Not for use on humans. Harmful if swallowed. Avoid contamination of food and feeds. Do not use on horses intended for human consumption.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IN CASE OF MEDICAL EMERGENCIES** or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, call 602-285-1660. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **NOTE TO PHYSICIAN:** Contains petroleum distillate - vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

EPA Reg. #270-150

Ⓐ EPA Est. No. 11715-TN-1 Ⓑ EPA Est. No. 2724-TX-1

Circled letter before EPA Est. location corresponds to the first letter of the lot number on bottom of container.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FOR USE ONLY ON HORSES AND PONIES
SHAKE WELL BEFORE USING**

Mix REPEL-Xp Emulsifiable Fly Spray with water at proper dilution. First, put the required amount into sprayer or mixing container. Then, add water according to directions and mix thoroughly before using.

IMPORTANT: Mix fresh solution before each use. Apply with pressure sprayer or sponge it on horses. Make sure animal's coat is thoroughly wet. Use approximately 8 oz. for each animal depending on size of horse or pony. Avoid getting solution into the animal's eyes.

HORSES: To protect horses from horn flies, house flies, gnats and mosquitoes apply at a 1 to 7 dilution. Each pint of concentrate makes a gallon of finished spray. Repeat application every 3 to 4 days, or as often as needed. Where horse flies, deer flies (tabanids), stable flies, ticks, or deer ticks, that may transmit Lyme Disease, are a problem, apply a 1 to 4 dilution and repeat as needed.

STORAGE & DISPOSAL

STORAGE: Store in a cool, dry place inaccessible to children and pets.
DISPOSAL: IF EMPTY: Do not reuse this container. Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

FARNAM HORSE PRODUCTS

A Division of Farnam Companies, Inc.

P.O. Box 34820 • Phoenix, Arizona 85067-4820

www.farnam.com

In case of emergency or for product use information, call 602-285-1660,
7 AM - 3:45 PM MST M-F





REPEL-X[®]_P

EMULSIFIABLE FLY SPRAY

SAME PROVEN FORMULA

CONCENTRATE - 8 OZ. MAKES 1/2 GAL.

REPELS & KILLS DEER TICKS THAT MAY TRANSMIT LYME DISEASE

Dilute with water per label directions for economical protection from biting, bloodsucking flies, gnats and mosquitoes.

ACTIVE INGREDIENTS:

Pyrethrins	0.40%
* Piperonyl Butoxide, Technical	1.00%
OTHER INGREDIENTS	98.60%
	100.00%

CONTAINS PETROLEUM DISTILLATE

* Equivalent to 0.8% (butylcarbityl)(6-propylpiperonyl) ether and 0.20% of related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

NET CONTENTS 1 GAL (3.785 L)

RM #: 2008002 06-1379

REPEL-X[®] Emulsifiable Fly Spray provides economical fly protection for horses and ponies. Repels and kills horn, house, stable, horse, and deer flies (tabanids), plus gnats, mosquitoes and ticks – including deer ticks which may transmit Lyme Disease.



DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE ONLY ON HORSES AND PONIES SHAKE WELL BEFORE USING

Mix REPEL-X[®] Emulsifiable Fly Spray with water at proper dilution. First, put the required amount into sprayer or mixing container. Then, add water according to directions and mix thoroughly before using.

IMPORTANT: Mix fresh solution before each use. Apply with pressure sprayer or sponge it on horses. Make sure animal's coat is thoroughly wet. Use approximately 8 oz. for each animal depending on size of horse or pony. Avoid getting solution into the animal's eyes.

HORSES: To protect horses from horn flies, house flies, gnats and mosquitoes apply at a 1 to 7 dilution. Each pint of concentrate makes a gallon of finished spray. Repeat application every 3 to 4 days, or as needed. Where horse flies, deer flies (tabanids), stable flies, ticks, or Deer Ticks, that may transmit Lyme Disease, are a problem, apply a 1 to 4 dilution and repeat as needed.

FARNAM HORSE PRODUCTS

A Division of Farnam Companies, Inc.
P.O. Box 34820
Phoenix, Arizona 85067-4820
www.farnam.com


In case of emergency or for product use information, call 602-285-1660, 7 AM - 3:45 PM MST M-F

Product Code: 010322
RM #: 2008001 06-1379

EPA Reg. #270-150

- Ⓐ EPA Est. No. 11715-TN-1
- Ⓑ EPA Est. No. 2724-TX-1

Circled letter before EPA Est. location corresponds to the first letter of the lot number on bottom of container.



PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION:

For animal use only. Not for use on humans. Harmful if swallowed. Avoid contamination of food and feeds. Do not use on horses intended for human consumption.

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, call 602-285-1660. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Contains petroleum distillate – vomiting may cause aspiration pneumonia.	

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL HAZARDS:

Do not use or store near heat or open flame.

STORAGE & DISPOSAL

STORAGE: Store in a cool, dry place inaccessible to children and pets.
DISPOSAL: IF EMPTY: Do not reuse this container. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.