

**FOR USE IN
ANIMALS ONLY**

LIVESTOCK DRUG

EACH 100 mL CONTAINS:

ACTIVE INGREDIENTS:

Calcium Gluconate
(provides 2.14 grams Calcium)..... 23 grams
Water for Injection..... q.s.

INACTIVE INGREDIENTS:

Boric acid
(as a solubilizing agent)..... 3.5 grams
Electrolytes per 1000 mL: Calcium 1069 mEq;
Hypertonic pH 2.5-4.5

INDICATIONS:

To be used as an aid in the treatment of parturient paresis (milk fever) in cattle.

Store between 15°C and 30°C (59°F and 86°F).

Keep from freezing.

18-802
RMS 92-330

Lot No. Exp. Date

NDC 30798-853-17

durvet

**Calcium
Gluconate**

23% Solution

For Treatment of Milk Fever in Cattle

STERILE

**PRESERVATIVE
FREE**

**NET CONTENTS:
500 mL (16.9 FL. OZ.)**



**KEEP OUT OF
REACH OF CHILDREN**

DOSAGE AND ADMINISTRATION:

Cattle: 250 to 500 mL.

Administer intravenously. Solution should be warmed to body temperature and administered slowly. This product is sterile in unopened container. It contains no preservative. Use entire contents when first opened. It should be handled under aseptic conditions. If there is no apparent improvement in the animal's condition within 24 hours; consult a veterinarian.

ISSU16XB03

TAKE TIME



**OBSERVE LABEL
DIRECTIONS**

Manufactured for:
DURVET, INC.
Blue Springs, MO 64014
www.durvet.com

