

Date of issue: 16.11.2015 Replaces Data Sheet of: ---  
"\*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1 **Product identifier**  
**Trade Name:** Lederseife flüssig  
**Article No.:** n.av.  
**Preparation No.:** n.av.  
**Registration No.:** n.ap.
- 1.2 **Relevant identified uses of the substance or mixture and uses advised against**  
Identified uses: cleaning agent, Maintenance product
- 1.3 **Details of the supplier of the safety data sheet**
- 1.3.1 **Address of the Company / Supplier:**  
STÜBBEN GmbH riding equipment, Langmattring 32, Postfach 1055, CH- 6371 Stans  
Telephone: +41 41 618 60 00, Telefax: +41 41 618 60 06, E-Mail: info@stuebben.com
- 1.3.2 **Responsible for the data sheet:**  
CoSiChem AG, Ernst-Lemmer-Straße 23, D - 35041 Marburg, info@cosichem.de
- 1.4 **Emergency telephone number**  
Emergency - Telephone of Company / Undertaking Information Centre Specialising in Symptoms of Poisoning  
Telephone: +41 41 618 60 00 (8:30 – 16:30) Telephone: +44 870 600 6266  
STIZ / CSIT  
Telephone : 145 (CH)

**SECTION 2: Hazards identification**

- 2.1 **Classification of the substance or mixture**  
Skin Irrit. 2; H315 / Eye Dam. 1; H318
- 2.2 **Label elements**  
Classification according to 1272/2008/EC: Yes.  
Applicable Exemptions: No.  
Signal word(s): Danger  
Component(s): contains  
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts ;  
Amides, coco, N,N-bis(hydroxyethyl);  
Alcohols, C12-14, ethoxylated;  
Alcohols, C12-14, ethoxylated, sulfates, sodium salts.
- H - Phrases:**  
H315: Causes skin irritation.  
H318: Causes serious eye damage.
- P - Phrases:**  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- Additional Markings: None.
- The above mentioned labelling is valid for distribution to industrial user.
- 2.3 **Other hazards**  
This mixture contains no substances which are assessed to be PBT or vPvB.

Hazard pictogram(s):



**Trade Name: Lederseife flüssig**

Company / Supplier: STÜBBEN GmbH riding equipment, Langmattring 32, Postfach 1055, CH- 6371 Stans  
 Telephone: +41 41 618 60 00, Date of issue: 16.11.2015 Replaces Data Sheet of: ---

**SECTION 3: Composition/information on ingredients**3.1 **Substances**

n. ap.

3.2 **Mixtures****Chemical Characterisation:**

Aqueous surfactant solution.

**Ingredients:**

Material			H - phrases	m% - range
CAS - No.	EC - No.	REACH - No.		
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts			Acute Tox. 4; H302 / Skin Irrit. 2; H315 / Eye Dam. 1; H318	5 - 10%
68411-30-3	270-115-0	01-2119489428-22-xxxx		
Amides, coco, N,N-bis(hydroxyethyl)			Skin Irrit. 2; H315 / Eye Dam. 1; H318	1 - 5%
68603-42-9	271-657-0	n.d.		
Alcohols, C12-14, ethoxylated			Acute Tox. 4; H302 / Eye Dam. 1; H318 / Aquatic Acute 1; H400	1 - 5%
68439-50-9	n.d.	n.d.		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts			Skin Irrit. 2; H315 / Eye Dam. 1; H318	1 - 5%
68891-38-3	500-234-8	01-2119488639-16-xxxx		

Text of H - phrases: see section 16

**SECTION 4: First aid measures**4.1 **Description of first aid measures**4.1.1 **Inhalation:**

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

4.1.2 **Skin Contact:**

Wash off with soap and water. In the case of skin irritation or allergic reactions see a physician.

4.1.3 **Eye Contact:**

Call a physician immediately. In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

4.1.4 **Ingestion:**

Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting.

Consult a physician if necessary.

4.2 **Most important symptoms and effects, both acute and delayed**

None known.

4.3 **Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**5.1 **Extinguishing media**5.1.1 **Suitable Extinguishing Media:**Use dry chemical, CO<sub>2</sub>, water spray or "alcohol" foam.5.1.2 **Extinguishing Media to Avoid:**

high volume water jet.

5.2 **Special hazards arising from the substance or mixture**

In the event of fire the following can be released: Carbon oxides, Sulphur oxides.

5.3 **Advice for firefighters**5.3.1 **Special Protective Equipment:**

Wear positive pressure self-contained breathing apparatus. Wear full protective clothing.

5.3.2 **Additional Information:**

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Trade Name: Lederseife flüssig**

Company / Supplier: STÜBBEN GmbH riding equipment, Langmattring 32, Postfach 1055, CH- 6371 Stans  
 Telephone: +41 41 618 60 00, Date of issue: 16.11.2015 Replaces Data Sheet of: ---

**SECTION 6: Accidental release measures**

- 6.1 **Personal precautions, protective equipment and emergency procedures**  
 See chapter 8.2.2  
 Contaminated surfaces will be extremely slippery.
- 6.2 **Environmental precautions**  
 Do not contaminate water. Local authorities should be advised if significant spillages cannot be contained.
- 6.3 **Methods and material for containment and cleaning up**  
 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
 Pick up and transfer to properly labelled containers.
- 6.4 **Reference to other sections**  
 None.

**SECTION 7: Handling and storage**

- 7.1 **Precautions for safe handling**
- 7.1.1 **Precautions for Safe Handling:**  
 Avoid contact with skin and eyes. Take off all contaminated clothing immediately.  
 When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday.
- 7.1.2 **Precautions in Case of Fire and Explosion:**  
 Normal measures for preventive fire protection.
- 7.2 **Conditions for safe storage, including any incompatibilities**
- 7.2.1 **Storage Instructions:**  
 Keep containers tightly closed in a cool, well-ventilated place.
- 7.2.2 **Store away from:**  
 Incompatible with oxidizing agents.
- 7.2.3 **Further Information on Storage Conditions:**  
 Keep at temperatures between 10 and 25°C.
- 7.3 **Specific end use(s)**  
 n.av.

**SECTION 8: Exposure controls/personal protection**

- 8.1 **Control parameters**
- | <b>Material</b>                     | <b>Limit Value</b>  |
|-------------------------------------|---|
| Amides, coco, N,N-bis(hydroxyethyl) | TLV dust: 10 mg/m <sup>3</sup> (respirable fraction);<br>3 mg/m <sup>3</sup> (alveole passing fraction) |
- 8.2 **Exposure controls**
- 8.2.1 **Appropriate engineering controls**  
 Provide appropriate exhaust ventilation at machinery.
- 8.2.2 **Individual protection measures**
- 8.2.2a **Respiratory Protection:** not required under normal use
- 8.2.2b **Hand Protection:** Protective gloves complying with EN 374. ( butyl-rubber, Break through time > 8h).  
 The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.  
 Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
- 8.2.2c **Eye Protection:** tightly fitting safety goggles
- 8.2.2d **Skin Protection:** protective suit
- 8.2.2e **Further Information:** Observe wearing time limits:
- 8.2.3 **Environmental exposure controls:**  
 n.av.

**Trade Name: Lederseife flüssig**

Company / Supplier: STÜBBEN GmbH riding equipment, Langmattring 32, Postfach 1055, CH- 6371 Stans  
Telephone: +41 41 618 60 00, Date of issue: 16.11.2015 Replaces Data Sheet of: ---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

9.1.1	<b>Form:</b> liquid	<b>Colour:</b> yellow	<b>Odour:</b> characteristic
			<b>Odour threshold:</b> n.av.
9.1.2	pH-value, undiluted:	7,1 – 7,4	
	pH-value, 1% aqueous solution:	n.av.	
9.1.3	Boiling point / Boiling - range (°C):	> 100	
	Melting point / Melting range (°C):	n.av.	
9.1.4	Flash point (°C):	n.ap., closed cup	
9.1.5	Flammability (EEC A10/A13):	n.ap.	
9.1.6	Ignition temperature (°C):	n.av.	
9.1.7	Autoflammability (EEC A16):	No.	
9.1.8	Oxidising properties:	No.	
9.1.9	Explosion hazard:	No.	
9.1.10	Explosion limits (Vol.%) lower:	n.av., upper: n.ap.	
9.1.11	Vapour pressure:	n.av.	
	Vapour density (Air = 1):	n.av.	
9.1.12	Density (g/ml):	1,02 – 1,03	
9.1.13	Solubility (in Water):	soluble	
9.1.14	Partition coefficient, n-Octanol / Water:	n.av.	
9.1.15	Viscosity:	750 – 1500 mPa*s	
9.1.16	Solvent content (m %):	Not relevant	
9.1.17	Thermal decomposition (°C):	n.av.	
9.1.18	Evaporation rate:	n.av.	
9.2	<b>Other information</b>		
	n.av.		

**SECTION 10: Stability and reactivity**

10.1	<b>Reactivity</b>
	None.
10.2	<b>Chemical stability</b>
	Stable under recommended storage conditions.
10.3	<b>Possibility of hazardous reactions</b>
	No dangerous reaction known under conditions of normal use.
10.4	<b>Conditions to avoid</b>
	No conditions to be specially mentioned.
10.5	<b>Incompatible materials</b>
	Incompatible with oxidizing agents.
10.6	<b>Hazardous decomposition products</b>
	No decomposition if stored and applied as directed. To avoid thermal decomposition, do not overheat.

**Trade Name: Lederseife flüssig**

Company / Supplier: STÜBBEN GmbH riding equipment, Langmattring 32, Postfach 1055, CH- 6371 Stans  
 Telephone: +41 41 618 60 00, Date of issue: 16.11.2015 Replaces Data Sheet of: ---

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Acute Health Effects:

Inhalation:	n.av.
Ingestion:	ATEmix: > 2000 mg/Kg
Skin Contact:	n.av.
Skin corrosion / irritation:	Causes skin irritation.
Serious eye damage / irritation:	Causes serious eye damage.
Respiratory or skin sensitisation:	n.av.
Germ cell mutagenicity:	n.av.
Carcinogenicity:	n.av.
Reproductive toxicity:	n.av.
STOT-single exposure:	n. av.
STOT-repeated exposure:	n. av.
Aspiration hazard:	n. av.

**11.1.1 – Practical Experience**

11.1.11 n.av.

**11.1.12 Practical Experience**

Observations relevant for classification:

None.

Further Observations:

None.

Classification of the preparation has been done by calculation in accordance with EEC directives.

**SECTION 12: Ecological information****12.1 Toxicity**

We have no quantitative data concerning the ecological effects of this product.

**12.2 Persistence and degradability**

No data is available on the product itself. Contained tenside is more than 60% biodegradable.

**12.3 Bioaccumulative potential**

n.av.

**12.4 Mobility in soil**

n.ap.

**12.5 Results of PBT and vPvB assessment**

This mixture contains no substances which are assessed to be PBT or vPvB.

**12.6 Other adverse effects**

12.6.1 COD-Value, mg/g:	n.av.
12.6.2 BOD5-Value, mg/g:	n.av.
12.6.3 AOX-Remarks:	Not applicable.
12.6.4 Significant Components:	None.
12.6.5 Other adverse effects:	Not applicable.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

13.1.1 Recommendation: Waste - Code - No.: 20 01 29 (VeVA/OMoD)  
 The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

In addition comply with the regional authorities.

**13.2 Contaminated Packaging**

13.2.1 Recommendation: Wash with suitable cleaner. Otherwise as described under Residues.  
 Handle in accordance with good industrial hygiene and safety practice.

13.2.2 Safe Handling: As described under Residues.  
 Handle in accordance with good industrial hygiene and safety practice.

**Trade Name: Lederseife flüssig**

Company / Supplier: STÜBBEN GmbH riding equipment, Langmattring 32, Postfach 1055, CH- 6371 Stans  
 Telephone: +41 41 618 60 00, Date of issue: 16.11.2015 Replaces Data Sheet of: ---

**SECTION 14: Transport information**

	<b>ADR</b> Not a dangerous substance as defined in the above regulations.	<b>IMDG</b> Not a dangerous substance as defined in the above regulations.	<b>IATA</b> Not a dangerous substance as defined in the above regulations.
14.1	<b>UN number</b>		
14.2	<b>UN proper shipping name</b>		
14.3	<b>Transport hazard class(es)</b>		
14.4	<b>Packing group</b>		
14.5	<b>Environmental hazards</b>		
14.6	<b>Special precautions for user</b> Transport category: Classification Code: Hazard - No.: LQ:		Packing Instructions (Passenger)  Packing Instructions (Cargo)
14.7	<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>		
		n.av.	

**SECTION 15: Regulatory information**

- 15.1 **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
n.av.
- 15.2 **Chemical safety assessment :**  
A chemical safety assessment has not been carried out.

**SECTION 16: Other information**

**Text of H phrases mentioned in Section 3**

- H302: Harmful if swallowed.
- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H400: Very toxic to aquatic life.

This datasheet has been compiled in accordance with EU regulation 2015/830.

The statements in this Material Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's properties. They must neither be altered nor transferred to other products.

Prepared by: CoSiChem AG, Ernst-Lemmer-Straße 23, D - 35041 Marburg, info@cosichem.de, +49-6421-886563  
 Receipt of Data: 05.10.2015, fas\_0038\_ch

